




























S S Double Strut Fittings

Item	Part	Item	Part
	<u>Male Connector</u> PMC		<u>Union</u> PU
	<u>Male Pipe Weld Connector</u> PPWC		<u>Bulk head Union</u> PBU
	<u>Male Elbow</u> PME		<u>Union Tee</u> PUT
	<u>Male Adapter</u> PMA		<u>Union Cross</u> PUC
	<u>Bulkhead Male Connector</u> PBMC		<u>Reducing Union</u> PRU
	<u>Male Run Tee</u> PMRT		<u>Elbow Union</u> PEU
	<u>Male Branch Tee</u> PMBT		<u>Reducer</u> PR
	<u>Female Adapter</u> PFA		<u>Bulkhead Reducer</u> PBR
	<u>Female Connector</u> PFC		<u>Tube Cap</u> PTC
	<u>Bulkhead Female Connector</u> PBFC		<u>Tube Plug</u> PTP
	<u>Female Elbow</u> PFE		<u>Nut</u> PN
	<u>Female Run Tee</u> PFRT		<u>Back Ferrule</u> PBF
	<u>Female Branch Tee</u> PFBT		<u>Front Ferrule</u> PFF

S S Double Strut Fittings

PMC MALE CONNECTOR




[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L
PMC-02-02	2	1/8	1.7	12	12	12.9	15.3	23.9	30.5
PMC-03-02	3	1/8	2.4	12	12	12.9	15.3	23.1	29.7
PMC-03-04	3	1/4	2.4	14	12	12.9	15.3	29.0	35.6
PMC-04-02	4	1/8	2.4	12	12	13.7	16.1	24.6	31.2
PMC-04-04	4	1/4	2.4	14	12	13.7	16.1	29.7	36.3
PMC-06-02	6	1/8	4.8	14	14	15.3	17.7	25.4	32.8
PMC-06-04	6	1/4	4.8	14	14	15.3	17.7	30.2	37.6
PMC-06-06	6	3/8	4.8	17	14	15.3	17.7	31.0	38.4
PMC-06-08	6	1/2	4.8	22	14	15.3	17.7	36.6	44.0
PMC-08-02	8	1/8	4.8	15	16	16.2	18.6	26.7	34.2
PMC-04-04	8	1/4	6.4	15	16	16.2	18.6	31.2	38.7
PMC-08-06	8	3/8	6.4	17	16	16.2	18.6	31.8	39.2
PMC-08-08	8	1/2	6.4	22	16	16.2	18.6	37.3	44.8
PMC-10-02	10	1/8	4.8	18	19	17.2	19.5	28.7	36.3
PMC-10-04	10	1/4	7.1	18	19	17.2	19.5	33.3	40.9
PMC-10-06	10	3/8	7.9	18	19	17.2	19.5	33.3	40.9
PMC-10-08	10	1/2	7.9	22	19	17.2	19.5	38.1	45.7
PMC-12-04	12	1/4	7.1	22	22	22.8	22.0	33.3	43.4
PMC-12-06	12	3/8	9.5	22	22	22.8	22.0	33.3	43.4
PMC-12-08	12	1/2	9.5	22	22	22.8	2.0	38.1	48.2
PMC-12-12	12	3/4	9.5	27	22	22.8	22.0	38.9	49.0
PMC-15-08	15	1/2	11.9	24	25	24.4	22.0	38.9	49.0
PMC-16-04	16	1/4	7.1	24	25	24.4	22.0	34.0	44.1
PMC-16-06	16	3/8	9.5	24	25	24.4	22.0	34.0	44.1
PMC-16-08	16	1/2	11.9	24	25	24.4	22.0	38.9	49.0
PMC-16-12	16	3/4	12.7	27	25	24.4	22.0	38.9	49.0
PMC-18-08	18	1/2	11.9	27	30	24.4	22.0	40.4	50.5
PMC-18-12	18	3/4	15.1	27	30	24.4	22.0	40.4	50.5
PMC-20-08	20	1/2	11.9	30	32	26.0	22.0	42.2	52.3
PMC-20-12	20	3/4	15.9	30	32	26.0	22.0	42.2	52.3
PMC-22-12	22	3/4	15.9	30	32	26.0	22.0	42.2	52.3
PMC-22-16	22	1	18.3	35	32	26.0	22.0	47.8	57.9
PMC-25-12	25	3/4	15.9	35	38	31.3	26.5	45.2	57.5
PMC-25-16	25	1	21.8	35	38	31.3	26.5	50.0	62.3

S S Double Strut Fittings

PMC MALE CONNECTOR




IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L
PMC 01-01	1/16	1/16	1.27	5/16	5/16	8.63	10.92	20.00	23.83
PMC 01-02	1/16	1/8	1.27	7/16	7/16	8.63	10.92	22.35	26.33
PMC-02-02	1/8	1/8	2.28	7/16	7/16	12.70	15.24	23.87	30.48
PMC-02-04	1/8	1/4	2.28	9/16	7/16	12.70	15.24	28.95	35.56
PMC-02-06	1/8	3/8	2.28	11/16	7/16	12.70	15.24	29.21	35.81
PMC-02-08	1/8	1/2	2.28	7/8	7/16	12.70	15.24	35.56	42.16
PMC-03-02	3/16	1/8	3.04	7/16	1/2	13.71	16.00	24.63	31.24
PMC-03-04	3/16	1/4	3.04	9/16	1/2	13.71	16.00	29.71	36.32
PMC-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	25.40	32.76
PMC-04-04	1/4	1/4	4.82	9/16	9/16	15.24	17.78	30.48	37.84
PMC-04-06	1/4	3/8	4.82	11/16	9/16	15.24	17.78	30.98	38.35
PMC-04-08	1/4	1/2	4.82	7/8	9/16	15.24	17.78	37.33	44.70
PMC-04-12	1/4	3/4	4.82	1-1/16	9/16	15.24	17.78	38.86	46.22
PMC-05-02	5/16	1/8	4.82	9/16	5/8	16.25	18.54	26.67	34.03
PMC-05-04	5/16	1/4	6.35	9/16	5/8	16.25	18.54	31.24	38.60
PMC-05-06	5/16	3/8	6.35	11/16	5/8	16.25	18.54	31.75	39.11
PMC-06-02	3/8	1/8	4.82	5/8	11/16	16.76	19.30	29.94	35.30
PMC-06-04	3/8	1/4	7.11	5/8	11/16	16.76	19.30	32.51	39.87
PMC-06-06	3/8	3/8	7.11	11/16	11/16	16.76	19.30	32.51	39.87
PMC-06-08	3/8	1/2	7.11	7/8	11/16	16.76	19.30	38.86	46.22
PMC-06-12	3/8	3/4	7.11	1-1/16	11/16	16.76	19.30	40.38	47.75
PMC-08-02	1/2	1/8	4.82	13/16	7/8	22.86	21.84	28.70	38.86
PMC-08-04	1/2	1/4	7.11	13/16	7/8	22.86	21.84	33.27	43.43
PMC-08-06	1/2	3/8	9.65	13/16	7/8	22.86	21.84	33.27	43.43
PMC-08-08	1/2	1/2	10.41	7/8	7/8	22.86	21.84	38.86	49.02
PMC-08-12	1/2	3/4	10.41	1-1/16	7/8	22.86	21.84	40.38	50.54
PMC-08-16	1/2	1	10.41	1-3/8	7/8	22.86	21.84	46.99	57.15
PMC-10-06	5/8	3/8	9.65	15/16	1	24.38	21.84	34.03	44.19
PMC-10-08	5/8	1/2	11.93	15/16	1	24.38	21.84	38.86	49.02
PMC-10-12	5/8	3/4	12.70	1-1/16	1	24.38	21.84	40.38	50.54
PMC-12-08	3/4	1/2	11.93	1-1/16	1-1/8	24.38	21.84	40.38	50.54
PMC-12-12	3/4	3/4	15.74	1-1/16	1-1/8	24.38	21.84	40.38	50.54
PMC-12-16	3/4	1	15.74	1-3/8	1-1/8	24.38	21.84	46.99	57.15
PMC-14-12	7/8	3/4	15.74	1-3/16	1-1/4	25.90	21.84	40.38	50.54
PMC-14-16	7/8	1	18.28	1-3/8	1-1/4	25.90	21.84	46.99	57.15
PMC-16-08	1	1/2	11.93	1-3/8	1-1/2	31.24	26.41	45.21	57.40
PMC-16-12	1	3/4	15.74	1-3/8	1-1/2	31.24	26.41	45.21	57.40
PMC-16-16	1	1	22.35	1-3/8	1-1/2	31.24	26.41	50.03	62.23

S S Double Strut Fittings

PPWC MALE PIPE WELD CONNECTOR



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	Pipe Weld Size P mm	E mm	h mm	H mm	F	G	I	I ₁	L
PMWC-M04-02	4	1/8	2.4	12	12	13.7	16.1	24.1	9.7	30.7
PMWC-M06-02	6	1/8	4.8	14	14	15.3	17.7	25.4	9.7	32.8
PMWC-M06-04	6	1/4	4.8	14	14	15.3	17.7	30.2	14.2	37.6
PMWC-M08-02	8	1/8	5.1	15	16	16.2	18.6	26.7	9.7	34.2
PMWC-M08-04	8	1/4	6.4	15	16	16.2	18.6	31.2	14.2	38.7
PMWC-M08-08	8	1/2	6.4	22	16	16.2	18.6	37.3	19.0	44.8
PMWC-M10-04	10	1/4	7.1	18	19	17.2	19.5	33.3	14.2	40.9
PMWC-M10-06	10	3/8	7.9	18	19	17.2	19.5	32.5	14.2	40.1
PMWC-M10-08	10	1/2	7.9	22	19	17.2	19.5	38.1	19.0	45.7
PMWC-M12-04	12	1/4	7.1	22	22	22.8	22.0	33.3	14.2	43.4
PMWC-M12-06	12	3/8	9.5	22	22	22.8	22.0	33.3	14.2	43.4
PMWC-M12-08	12	1/2	9.5	24	22	22.8	22.0	38.1	19.0	48.2
PMWC-M15-08	15	1/2	11.9	24	25	24.4	22.0	38.9	19.0	49.0
PMWC-M16-08	16	1/2	12.7	24	25	24.4	22.0	38.9	19.0	49.0
PMWC-M18-08	18	1/2	13.5	27	30	24.4	22.0	40.4	19.0	50.05

IMPERIAL

Part No.	Tube O.D. T	Pipe Weld Size P		E Min	h	H	F	G	I	I ₁	L
		in	Nom		O.D.	in					
	PMWC-02-02	1/8	1/8	10.30	2.28	7/16	7/16	12.70	15.24	23.87	9.65
PMWC-03-02	3/16	1/8	10.30	3.04	7/16	1/2	13.71	16.0	24.63	9.65	31.24
PMWC-04-02	1/4	1/8	10.30	4.82	1/2	9/16	15.24	17.78	25.40	9.65	32.76
PMWC-04-04	1/4	1/4	13.70	4.82	9/16	9/16	15.24	17.78	30.48	14.22	37.84
PMWC-05-02	5/16	1/8	10.30	5.08	9/16	5/8	16.25	18.54	26.67	9.65	37.03
PMWC-05-04	5/16	1/4	13.70	6.35	9/16	5/8	16.25	18.54	31.24	14.22	38.60
PMWC-06-04	3/8	1/4	13.70	7.11	5/8	11/16	16.76	19.30	32.51	14.22	39.87
PMWC-06-06	3/8	3/8	17.10	7.11	11/16	11/16	16.76	19.30	32.51	11.05	39.87
PMWC-06-08	3/8	1/2	21.30	7.11	7/8	11/16	16.76	19.30	38.86	14.22	43.23
PMWC-08-06	1/2	3/8	17.10	10.41	13/16	7/8	22.86	21.84	33.27	19.05	43.43
PMWC-08-08	1/2	1/2	21.30	10.41	7/8	7/8	22.86	21.84	38.86	14.22	49.02
PMWC-08-12	1/2	3/4	26.67	10.41	1-1/16	7/8	22.86	21.84	40.38	19.05	50.54
PMWC-10-08	5/8	1/2	21.30	12.70	15/16	1	24.38	21.84	38.66	19.05	49.02
PMWC-12-12	3/4	3/4	26.67	15.74	1-1/16	1-1/8	24.38	21.84	40.38	19.05	50.54
PMWC-16-16	1	1	33.40	22.35	1-3/8	1-1/2	31.24	26.41	50.03	23.87	62.23

S S Double Strut Fittings

PME MALE ELBOW



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L	L ₁
PME-M03-02	3	1/8	2.4	12.7	12	12.9	15.3	17.0	23.6	17.8
PME-M03-04	3	1/4	2.4	12.7	12	12.9	15.3	18.0	24.6	23.4
PME-M04-02	4	1/8	2.4	12.7	12	13.7	16.1	18.8	25.4	18.8
PME-M04-04	4	1/4	2.4	12.7	12	13.7	16.1	18.8	25.4	23.4
PME-M06-02	6	1/8	4.8	12.7	14	15.3	17.7	19.6	27.0	18.8
PME-M06-04	6	1/4	4.8	12.7	14	15.3	17.7	19.6	27.0	23.4
PME-M06-06	6	3/8	4.8	17.5	14	15.3	17.7	22.4	29.8	26.2
PME-M06-08	6	1/2	4.8	20.6	14	15.3	17.7	24.4	31.8	33.0
PME-M08-02	8	1/8	4.8	14.3	16	16.2	18.6	21.3	28.8	19.8
PME-M08-04	8	1/4	6.4	14.3	16	16.2	18.6	21.3	28.8	24.4
PME-M08-06	8	3/8	6.4	17.5	16	16.2	18.6	23.9	31.4	28.5
PME-M08-08	8	1/2	6.4	20.6	16	16.2	18.6	25.1	32.6	33.0
PME-M10-02	10	1/8	4.8	17.5	19	17.2	19.5	23.9	31.5	23.6
PME-M10-04	10	1/4	7.1	17.5	19	17.2	19.5	23.9	31.5	28.2
PME-M10-06	10	3/8	7.9	17.5	19	17.2	19.5	25.9	31.5	28.2
PME-M10-08	10	1/2	7.9	20.6	19	17.2	19.5	25.9	33.5	33.0
PME-M12-02	12	1/8	4.8	20.6	22	22.8	22.00	25.9	36.0	23.6
PME-M12-04	12	1/4	7.1	20.6	22	22.8	22.00	25.9	36.0	28.2
PME-M12-06	12	3/8	9.5	20.6	22	22.8	22.00	25.9	36.0	28.2
PME-M12-08	12	1/2	9.5	20.6	22	22.8	22.00	29.7	36.0	33.0
PME-M12-12	12	3/4	9.5	27.0	22	22.8	22.00	27.9	39.8	36.8
PME-M16-06	16	3/8	9.5	25.4	25	24.4	22.00	27.9	38.0	30.2
PME-M16-08	16	1/2	11.9	25.4	25	24.4	22.00	29.7	38.0	35.1
PME-M16-12	16	3/4	12.7	27.0	25	24.4	22.00	29.7	39.8	36.8
PME-M18-08	18	1/2	11.9	27.0	30	24.4	22.00	29.7	39.8	36.8
PME-M18-12	18	3/4	15.1	27.0	30	24.4	22.00	29.7	39.8	36.8
PME-M20-08	20	1/2	11.9	31.8	32	26.0	22.00	34.5	44.6	41.7
PME-M20-12	20	3/4	15.9	31.8	32	26.0	22.00	34.5	44.6	41.7


PME-M22-12	22	3/4	15.9	31.8	32	26.0	22.00	34.5	44.6	41.7
PME-M22-16	22	1	18.3	36.0	32	26.0	22.00	34.5	44.6	46.5
PME-M25-12	25	3/4	15.9	36.0	38	31.3	26.5	36.8	49.1	41.7
PME-M25-16	25	1	21.8	36.0	38	31.3	26.5	36.8	49.1	46.5

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PME-02-02	1/8	1/8	2.28	1/2	7/16	12.70	15.24	18.30	24.91	18.90
PME-02-04	1/8	1/4	2.28	1/2	7/16	12.70	15.24	18.30	24.91	23.36
PME-03-02	3/16	1/8	3.04	1/2	1/2	13.71	16.00	18.79	25.40	18.79
PME-03-04	3/16	1/4	3.04	1/2	1/2	13.71	16.00	18.79	25.40	23.36
PME-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	19.10	26.47	19.10
PME-04-04	1/4	1/4	4.82	1/2	9/16	15.24	17.78	19.81	27.18	23.87
PME-04-06	1/4	3/8	4.82	11/16	9/16	15.24	17.78	22.35	29.71	28.40
PME-04-08	1/4	1/2	4.82	13/16	9/16	15.24	17.78	24.60	31.97	35.10
PME-05-02	5/16	1/8	4.82	9/16	5/8	16.25	18.54	21.33	28.70	19.81
PME-05-04	5/16	1/4	6.35	9/16	5/8	16.25	18.54	22.40	29.77	24.50
PME-05-06	5/16	3/8	6.35	11/16	5/8	16.25	18.54	23.11	30.48	28.40
PME-06-02	3/8	1/8	4.82	5/8	11/16	16.76	19.30	23.11	30.48	20.60
PME-06-04	3/8	1/4	7.11	5/8	11/16	16.76	19.30	23.11	30.48	25.40
PME-06-06	3/8	3/8	7.11	11/16	11/16	16.76	19.30	23.87	31.24	28.44
PME-06-08	3/8	1/2	7.11	13/16	11/16	16.76	19.30	23.80	31.42	33.02
PME-06-12	3/8	3/4	7.11	1-1/16	11/16	16.76	19.30	29.71	37.08	36.83
PME-08-04	1/2	1/4	7.11	13/16	7/8	22.86	21.84	25.90	36.06	28.30
PME-08-06	1/2	3/8	9.65	13/16	7/8	22.86	21.84	25.90	36.06	28.30
PME-08-08	1/2	1/2	10.41	13/16	7/8	22.86	21.84	25.90	36.06	33.02
PME-08-12	1/2	3/4	10.41	1-1/16	7/8	22.86	21.84	29.71	39.87	36.83
PME-10-06	5/8	3/8	9.65	15/16	1	24.38	21.84	26.90	37.06	29.40
PME-10-08	5/8	1/2	11.93	15/16	1	24.38	21.84	26.90	37.06	34.00
PME-10-12	5/8	3/4	12.70	1-1/16	1	24.38	21.84	29.71	39.87	36.83
PME-12-08	3/4	1/2	11.93	1-1/16	1-1/8	24.38	21.84	29.71	39.87	37.00
PME-12-12	3/4	3/4	15.74	1-1/16	1-1/8	24.38	21.84	29.71	39.87	36.83
PME-14-12	7/8	3/4	15.74	1-1/4	1-1/4	25.90	21.84	34.54	44.70	41.65
PME-16-12	1	3/4	15.74	1-27/64	1-1/2	31.24	26.41	36.83	49.02	42.20
PME-16-16	1	1	22.35	1-27/64	1-1/2	31.24	26.41	36.83	49.02	46.70

S S Double Strut Fittings

PMA MALE ADAPTER



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E	E ₁	h mm	I	L
PMA-M03-02	3	1/8	4.0	1.8	12	13.15	29.4
PMA-M06-02	6	1/8	4.6	4.6	12	15.75	32.8
PMA-M06-04	6	1/4	4.6	4.6	14	15.75	38.1
PMA-M08-04	8	1/4	6.3	6.3	14	16.50	39.1
PMA-M10-04	10	1/4	7.7	7.7	14	17.50	39.9
PMA-M10-06	10	3/8	7.7	7.7	17	17.50	40.6
PMA-M10-08	10	1/2	11.9	7.7	22	17.50	45.2
PMA-M12-04	12	1/4	7.1	9.1	14	23.50	46.5
PMA-M12-06	12	3/8	9.1	9.1	17	23.50	46.2
PMA-M12-08	12	1/2	11.9	9.1	22	23.50	51.8
PMA-M18-08	18	1/2	11.9	13.9	22	24.90	53.2
PMA-M18-12	18	3/4	15.9	13.9	27	24.90	53.2


IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E	E ₁	h in	I	L
PMA-02-02	1/8	1/8	4.57	1.77	7/16	13.45	29.50
PMA-02-04	1/8	1/4	7.11	1.77	9/16	13.45	34.80
PMA-03-02	3/16	1/8	4.57	3.04	7/16	14.20	30.22

Part No.	Tube O.D. T in	P (NPT)	E	E ₁	h in	I	L
PMA-03-04	3/16	1/4	7.11	3.04	9/16	14.20	35.56
PMA-04-02	1/4	1/8	4.57	4.57	7/16	15.75	31.80
PMA-04-04	1/4	1/4	7.11	4.57	9/16	15.75	37.08
PMA-04-06	1/4	3/8	10.41	4.57	11/16	15.75	37.84
PMA-04-08	1/4	1/2	12.70	4.57	7/8	16.80	43.43
PMA-05-02	5/16	1/8	4.57	6.35	7/16	16.80	32.76
PMA-05-04	5/16	1/4	7.11	6.35	9/16	17.50	38.10
PMA-06-02	3/8	1/8	4.57	7.11	7/16	17.50	33.50
PMA-06-04	3/8	1/4	7.11	7.11	9/16	17.50	38.90
PMA-06-06	3/8	3/8	10.41	7.11	11/16	17.50	39.60
PMA-06-08	3/8	1/2	12.70	7.11	7/8	23.20	45.20
PMA-08-04	1/2	1/4	7.11	9.90	9/16	23.20	44.50
PMA-08-06	1/2	3/8	10.41	9.90	11/16	23.20	45.20
PMA-08-08	1/2	1/2	12.70	9.90	7/8	24.70	50.50
PMA-10-06	5/8	3/8	10.41	12.70	11/16	24.70	47.40
PMA-10-08	5/8	1/2	12.7	12.70	7/8	24.70	52.30
PMA-10-12	5/8	3/4	18.28	12.70	1-1/16	24.70	52.30
PMA-12-08	3/4	1/2	12.70	14.98	7/8	24.70	52.30
PMA-12-12	3/4	3/4	18.28	14.98	1-1/16	24.70	52.30
PMA-12-16	3/4	1	22.35	14.98	1-3/8	24.70	57.91
PMA-14-12	7/8	3/4	18.28	17.27	1-1/16	26.70	54.30
PMA-16-12	1	3/4	18.28	20.06	1-1/16	31.70	58.70
PMA-16-16	1	1	22.35	20.06	1-3/8	31.70	66.00

S S Double Strut Fittings

PBMC BULKHEAD MALE CONNECTOR



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	h1 mm	H mm	F	I	I ₁	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBMC-M06-02	6	1/8	2.28	14	17	14	17	42	26.0	51.0	35	11.60	12
PBMC-M06-04	6	1/4	4.82	14	17	14	17	47	26.0	56.0	35	11.60	12
PBMC-M10-04	10	1/4	7.11	17	19	19	18	52	29.50	60.50	38	16.40	10
PBMC-M12-04	12	1/4	10.40	22	24	22	24	60	32.0	71.0	43	19.50	14

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	h in	H in	F	I	I ₁	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBMC-02-02	1/8	1/8	2.28	1/2	1/2	7/16	12.70	39.87	24.63	46.48	31.24	8.33	12.70
PBMC-04-02	1/4	1/8	4.82	5/8	5/8	9/16	15.24	42.16	26.16	49.53	33.52	11.50	10.16
PBMC-04-04	1/4	1/4	4.82	5/8	5/8	9/16	15.24	45.97	26.16	53.34	33.52	11.50	10.16
PBMC-06-04	3/8	1/4	7.11	3/4	3/4	11/16	16.76	50.03	29.46	57.40	36.83	14.68	11.17
PBMC-08-06	1/2	3/8	9.39	15/16	15/16	7/8	22.86	53.08	31.75	63.24	41.91	19.44	12.70
PBMC-08-08	1/2	1/2	10.41	15/16	15/16	7/8	22.86	58.67	31.75	68.83	41.91	19.44	12.70

S S Double Strut Fittings

PMRT MALE RUN TEE



[METRIC](#) | [IMPERIAL](#)

METRIC

12


Part No.	Tube O.D. T mm	P (NPT)	E MIN	h mm	H mm	F	G	I	L	L ₁
PMRT-M03-02	3	1/8	2.4	12.7	12	12.9	15.3	17.0	23.6	17.6
PMRT-M03-04	3	1/4	2.4	12.7	12	12.9	15.3	18.0	24.6	23.4
PMRT-M04-02	4	1/8	2.4	12.7	12	13.7	16.1	18.8	25.4	18.8
PMRT-M06-02	6	1/8	4.8	12.7	14	15.3	17.7	19.6	27.0	18.8
PMRT-M06-04	6	1/4	4.8	14.2	14	15.3	17.7	19.6	27.0	23.4
PMRT-M08-02	8	1/8	4.8	14.3	16	16.2	18.6	21.3	28.8	19.8
PMRT-M08-04	8	1/4	6.4	17.5	16	16.2	18.6	21.3	28.8	24.4
PMRT-M10-04	10	1/4	7.1	17.5	19	17.2	19.5	23.9	31.5	28.2
PMRT-M10-06	10	3/8	7.9	20.6	19	17.2	19.5	23.9	31.5	28.2
PMRT-M12-04	12	1/4	7.1	20.6	22	22.8	22.0	25.9	36.0	28.2
PMRT-M12-06	12	3/8	9.5	20.6	22	22.8	22.0	25.9	36.0	28.2
PMRT-M12-08	12	1/2	9.5	20.6	22	22.8	22.0	25.9	36.0	33.0
PMRT-M16-06	16	3/8	9.5	25.4	25	24.4	22.0	27.9	38.0	30.2
PMRT-M16-08	16	1/2	11.9	25.4	25	24.4	22.0	27.9	38.0	35.1
PMRT-M20	20	3/4	15.9	31.8	32	26.0	22.0	34.5	44.6	41.7

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PMR T-02-02	1/8	1/8	2.28	1/2	7/16	12.70	15.24	18.30	24.91	18.90
PMR T-02-04	1/8	1/4	2.28	1/2	7/16	12.70	15.24	18.03	24.91	23.36
PMR T-03-02	3/16	1/8	3.04	1/2	1/2	13.71	16.00	17.78	24.38	17.78
PMR T-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	19.55	26.92	18.79
PMR T-04-04	1/4	1/4	4.82	1/2	9/16	15.24	17.78	19.11	27.08	23.37
PMR T-05-02	5/16	1/8	4.82	9/16	5/8	16.25	18.54	22.35	29.71	20.82
PMR T-06-04	3/8	1/4	7.11	5/8	11/16	16.76	19.30	23.11	30.48	25.40
PMR T-06-06	3/8	3/8	7.11	11/16	11/16	16.76	19.30	23.87	31.24	26.20
PMR T-08-06	1/2	3/8	9.65	13/16	7/8	22.86	21.84	25.90	36.06	28.19
PMR T-08-08	1/2	1/2	10.41	13/16	7/8	22.86	21.84	25.90	36.06	33.02
PMR T-10-08	5/8	1/2	11.93	15/16	1	24.86	21.84	27.94	38.10	35.05
PMR T-12-12	3/4	3/4	15.74	1-1/16	1-1/8	24.38	21.84	28.91	38.35	35.30

S S Double Strut Fittings

PMBT MALE BRANCH TEE



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L	L ₁
PMBT-M03-02	3	1/8	2.4	12.7	12	12.9	15.3	17.0	23.6	17.8
PMBT-M03-04	3	1/4	2.4	12.7	12	12.9	15.3	18.0	24.6	23.4
PMBT-M04-02	4	1/8	2.4	12.7	12	13.7	16.1	18.8	25.4	18.8
PMBT-M06-02	6	1/8	4.8	12.7	14	15.3	17.7	19.6	27.0	18.8
PMBT-M06-04	6	1/4	4.8	14.2	14	15.3	17.7	19.6	27.0	23.4
PMBT-M08-02	8	1/8	4.8	14.3	16	16.2	18.6	21.3	28.8	19.8
PMBT-M08-04	8	1/4	6.4	17.5	16	16.2	18.6	21.3	28.8	24.4
PMBT-M10-04	10	1/4	7.1	17.5	19	17.2	19.5	23.9	31.5	28.2
PMBT-M10-06	10	3/8	7.9	20.6	19	17.2	19.5	23.9	31.5	28.2
PMBT-M12-04	12	1/4	7.1	20.6	22	22.8	22.0	25.9	36.0	28.2
PMBT-M12-06	12	3/8	9.5	20.6	22	22.8	22.0	25.9	36.0	28.2
PMBT-M12-08	12	1/2	9.5	20.6	22	22.8	22.0	25.9	36.0	33.0
PMBT-M16-06	16	3/8	9.5	25.4	25	24.4	22.0	27.9	38.0	30.2
PMBT-M16-08	16	1/2	11.9	25.4	25	24.4	22.0	27.9	38.0	35.1
PMBT-M20-12	20	3/4	15.9	31.8	32	26.0	22.0	34.5	44.6	41.7

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PMBT-02-02	1/8	1/8	2.28	1/2	7/16	12.70	15.24	18.30	24.91	18.90
PMBT-02-04	1/8	1/4	2.28	1/2	7/16	12.70	15.24	18.03	24.91	23.36
PMBT-03-02	3/16	1/8	3.04	1/2	1/2	13.71	16.00	17.78	24.38	17.78
PMBT-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	19.55	26.92	18.79
PMBT-04-04	1/4	1/4	4.82	1/2	9/16	15.24	17.78	19.11	27.08	23.37
PMBT-05-02	5/16	1/8	4.82	9/16	5/8	16.25	18.54	22.35	29.71	20.82
PMBT-06-04	3/8	1/4	7.11	5/8	1/16	16.76	19.30	23.11	30.48	25.40
PMBT-06-06	3/8	3/8	7.11	11/16	11/16	16.76	19.30	23.87	31.24	26.20
PMBT-08-06	1/2	3/8	9.65	13/16	7/8	22.86	21.84	25.90	36.06	28.19
PMBT-08-08	1/2	1/2	10.41	13/16	7/8	22.86	21.84	25.90	36.06	33.02
PMBT-10-08	5/8	1/2	11.93	15/16	1	24.86	21.84	27.94	38.10	35.05
PMBT-12-12	3/4	3/4	15.74	1-1/16	1-1/8	24.38	21.84	28.19	38.35	35.30

S S Double Strut Fittings

PFA FEMALE ADAPTER



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E	h mm	I	L
PFA-M03-02	3	1/8	1.8	14	13.15	31.15
PFA-M06-02	6	1/8	4.6	14	15.75	32.5
PFA-M06-04	6	1/4	4.6	19	15.75	37.1
PFA-M08-04	8	1/4	6.3	19	16.50	37.6
PFA-M10-04	10	1/4	7.7	19	17.50	38.1
PFA-M10-06	10	3/8	7.7	22	17.50	40.1
PFA-M10-08	10	1/2	7.7	27	17.50	46.5
PFA-M12-04	12	1/4	9.1	19	23.50	43.7
PFA-M12-06	12	3/8	9.1	22	23.50	46.0
PFA-M12-08	12	1/2	9.1	27	23.50	52.3
PFA-M18-12	18	3/4	13.9	32	24.90	54.8

Pressure Conversions

	mmHg	inHg	in	ft.	atm	lb/in	l _v /l _p	KPa	BA R
mmHg	1.	.03937	.5353	.04461	.00132	.01934	.00136	.1333	.0013
inHg	25.40	1.	13.60	1.133	.03342	.4912	.03453	3.387	.0339
in	1.868	.07355	1.	.08333	.00246	.03612	.00254	.2490	.0025
ft.	22.42	.8826	12.	1.	.02950	.4334	.3048	2.988	.0299
atm	760	29.92	406.8	33.90	1.	14.70	1.033	101.3	1.013
lb/in	51.71	2.036	27.69	2.307	.06805	1.	.07031	6.895	.0689
l _v /l _p	735.6	28.96	397.3	32.81	.9678	14.22	1.	98.05	.981
kPa	7.50	.2953	4.016	.3347	.00987	.1451	.0102	1.	.01


Bar	750.	29.53	401.6	33.47	.987	14.51	1.02	100.	1.
-----	------	-------	-------	-------	------	-------	------	------	----

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E	h in	I	L
PFA-02-02	1/8	1/8	1.77	9/16	13.45	31.50
PFA-02-04	1/8	1/4	1.77	3/4	13.45	35.30
PFA-03-02	3/16	1/8	3.04	9/16	14.20	32.00
PFA-03-04	3/16	1/4	3.04	3/4	14.20	35.81
PFA-04-02	1/4	1/8	4.57	9/16	15.75	33.02
PFA-04-04	1/4	1/4	4.57	3/4	15.75	37.10
PFA-04-06	1/4	3/8	4.57	7/8	15.75	39.37
PFA-04-08	1/4	1/2	4.57	1-1/16	15.75	42.50
PFA-05-02	5/16	1/8	6.35	9/16	16.80	34.29
PFA-05-04	5/16	1/4	6.35	3/4	16.80	37.59
PFA-06-02	3/8	1/8	7.11	9/16	17.50	34.29
PFA-06-04	3/8	1/4	7.11	3/4	17.50	38.10
PFA-06-06	3/8	3/8	7.11	7/8	17.50	40.38
PFA-06-08	3/8	1/2	7.11	1-1/16	17.50	46.73
PFA-08-04	1/2	1/4	9.90	3/4	23.20	43.43
PFA-08-06	1/2	3/8	9.90	7/8	23.20	45.46
PFA-08-08	1/2	1/2	9.90	1-1/16	23.20	51.80
PFA-10-06	5/8	3/8	12.70	7/8	24.70	48.26
PFA-10-08	5/8	1/2	12.70	1-1/16	24.70	53.84
PFA-10-12	5/8	3/4	12.70	1-1/4	24.70	55.37
PFA-12-08	3/4	1/2	14.98	1-1/16	24.70	52.83
PFA-12-12	3/4	3/4	14.98	1-1/4	24.70	54.86
PFA-12-16	3/4	1	14.98	1-5/8	24.70	58.42
PFA-14-12	7/8	3/4	17.27	1-1/4	26.70	57.15
PFA-16-12	1	3/4	20.06	1-1/4	31.70	60.70
PFA-16-16	1	1	20.06	1-5/8	31.70	64.26

S S Double Strut Fittings

PFC FEMALE CONNECTOR



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L
PFC-M03-02	3	1/8	2.4	14	12	12.9	15.3	22.1	28.7
PFC-M03-04	3	1/4	2.4	19	12	12.9	15.3	26.9	33.5
PFC-M04-02	4	1/8	2.4	14	12	13.7	16.1	23.1	29.7
PFC-M06-02	6	1/8	4.8	14	14	15.3	17.7	23.9	31.3
PFC-M06-04	6	1/4	4.8	19	14	15.3	17.7	28.4	35.8
PFC-M06-06	6	3/8	4.8	22	14	15.3	17.7	29.5	36.9
PFC-M06-08	6	1/2	4.8	27	14	15.3	17.7	35.1	42.5
PFC-M08-02	8	1/8	6.4	15	16	16.2	18.6	24.6	32.1
PFC-M08-04	8	1/4	6.4	19	16	16.2	18.6	29.5	37.0
PFC-M08-06	8	3/8	6.4	22	16	16.2	18.6	30.2	37.7
PFC-M08-08	8	1/2	6.4	27	16	16.2	19.5	35.8	43.3
PFC-M10-02	10	1/8	7.9	18	19	17.2	19.5	25.4	33.0
PFC-M10-04	10	1/4	7.9	19	19	17.2	19.5	30.2	37.8
PFC-M10-06	10	3/8	7.9	22	19	17.2	19.5	31.0	38.6
PFC-M10-08	10	1/2	7.9	27	19	17.2	22.0	36.6	44.2
PFC-M12-02	12	1/8	8.3	22	22	22.8	22.0	28.4	38.5
PFC-M12-04	12	1/4	9.5	22	22	22.8	22.0	30.2	40.3
PFC-M12-06	12	3/8	9.5	22	22	22.8	22.0	31.0	41.1
PFC-M12-08	12	1/2	9.5	27	22	22.8	22.0	36.6	46.7
PFC-M12-12	12	3/4	9.5	35	22	22.8	22.0	38.9	49.0
PFC-M15-08	15	1/2	11.9	27	25	24.4	22.0	36.6	46.7
PFC-M16-08	16	1/2	12.7	27	25	24.4	22.0	36.8	46.9
PFC-M20-08	20	1/2	15.9	30	32	26.0	22.0	37.8	47.9


PFC-M20-12	20	3/4	15.9	35	32	26.0	22.0	39.6	49.7
PFC-M22-12	22	3/4	18.3	35	32	26.0	22.0	39.6	49.7
PFC-M22-16	22	1	18.3	41	32	26.0	22.0	47.8	57.9
PFC-M25-12	25	3/4	21.8	35	38	31.3	26.5	41.1	53.4
PFC-M25-16	25	1	21.8	41	38	31.3	26.5	50.0	62.3

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L
PFC-02-02	1/8	1/8	2.28	9/16	7/16	12.70	15.24	22.09	28.70
PFC-02-04	1/8	1/4	2.28	3/4	7/16	12.70	15.24	26.92	33.52
PFC-03-02	3/16	1/8	3.04	9/16	1/2	13.71	16.00	23.11	29.71
PFC-04-02	1/4	1/8	4.82	9/16	9/16	15.24	17.78	23.87	31.24
PFC-04-04	1/4	1/4	4.82	3/4	9/16	15.24	17.78	28.44	35.81
PFC-04-06	1/4	3/8	4.82	7/8	9/16	15.24	17.78	30.22	37.59
PFC-04-08	1/4	1/2	4.82	1-1/16	9/16	15.24	17.78	35.05	42.41
PFC-05-02	5/16	1/8	6.35	9/16	5/8	16.25	17.78	24.63	32.00
PFC-05-04	5/16	1/4	6.35	3/4	5/8	16.25	18.54	29.46	36.83
PFC-06-02	3/8	1/8	7.11	5/8	11/16	16.76	18.54	25.40	32.76
PFC-06-04	3/8	1/4	7.11	3/4	11/16	16.76	19.30	30.22	37.59
PFC-06-06	3/8	3/8	7.11	7/8	11/16	16.76	19.30	31.75	39.11
PFC-06-08	3/8	1/2	7.11	1-1/16	11/16	16.76	19.30	36.57	43.94
PFC-06-12	3/8	3/4	7.11	1-5/16	11/16	22.86	19.30	40.38	47.75
PFC-08-04	1/2	1/4	10.41	1-3/16	7/8	22.86	19.30	30.22	40.38
PFC-08-06	1/2	3/8	10.41	7/8	7/8	22.86	21.84	31.75	41.91
PFC-08-08	1/2	1/2	10.41	1-1/16	7/8	22.86	21.84	36.57	46.73
PFC-08-12	1/2	3/4	10.41	1-5/16	7/8	24.38	21.84	38.10	48.26
PFC-10-06	5/8	3/8	12.70	15/16	1	24.38	21.84	31.75	41.91
PFC-10-08	5/8	1/2	12.70	1-1/16	1	24.38	21.84	36.57	46.73
PFC-12-08	3/4	1/2	15.74	1-1/16	1-1/8	24.38	21.84	36.57	46.73
PFC-12-12	3/4	3/4	15.74	1-5/16	1-1/8	24.38	21.84	38.10	48.26
PFC-14-12	7/8	3/4	18.28	1-5/16	1-1/4	25.90	21.84	39.62	49.78
PFC-16-12	1	3/4	22.35	1-3/8	1-1/2	31.24	26.41	41.14	53.24
PFC-16-16	1	1	22.35	1-5/8	1-1/2	31.24	26.41	50.03	62.23

S S Double Strut Fittings

PBFC BULKHEAD FEMALE CONNECTOR



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	h ₁ mm	H mm	F	I	I ₁	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBFC-M06-02	6	1/8	4.8	15.8	15.8	14	15.3	39.6	27.7	46.90	35	11.5	10.2
PBFC-M06-04	6	1/4	4.8	19.0	16.0	14	15.3	44.4	26.2	51.80	33.6	11.5	10.2
PBFC-M08-04	8	1/4	6.3	19.0	17.4	16	16.2	46.7	28.4	53.85	35.55	13.1	11.2
PBFC-M12-08	12	1/2	9.5	27.0	24.0	22	22.8	55.4	31.8	66.50	41.9	19.5	12.7

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	h ₁ in	H in	F	I	I ₁	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBFC-02-02	1/8	1/8	2.28	9/16	1/2	7/16	12.70	38.10	24.63	44.70	31.24	8.33	12.70
PBFC-04-02	1/4	1/8	4.82	5/8	9/16	9/16	15.24	39.62	26.16	46.99	33.52	11.50	10.16
PBFC-04-04	1/4	1/4	4.82	3/4	5/8	9/16	15.24	44.45	26.16	51.81	33.52	11.50	10.16
PBFC-06-04	3/8	1/4	7.11	3/4	3/4	11/16	16.76	47.75	29.46	55.11	36.83	14.68	11.17
PBFC-08-06	1/2	3/8	10.41	15/16	15/16	7/8	22.86	51.56	31.75	61.72	41.91	19.44	12.70
PBFC-08-08	1/2	1/2	10.41	1-1/16	15/16	7/8	22.86	56.38	31.75	66.54	41.91	19.44	12.70
PBFC-12-12	3/4	3/4	15.74	1-1/4	1-3/16	1-1/8	24.38	63.60	38.80	75.51	47.21	25.79	16.76

S S Double Strut Fittings

PFE FEMALE ELBOW



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L	L ₁
PFE-M06-04	6	1/4	4.8	17.46	14	15.3	17.7	22.4	28.9	22.40
PFE-M06-06	6	3/8	4.8	20.63	14	15.3	17.7	24.4	31.7	22.40
PFE-M06-08	6	1/2	4.8	25.40	14	15.3	17.7	27.2	34.6	28.40
PFE-M08-04	8	1/4	6.4	17.46	16	16.2	18.6	23.1	30.6	22.40
PFE-M08-08	8	1/2	6.4	20.63	16	16.2	18.6	28.0	35.2	28.40
PFE-M10-04	10	1/4	7.9	17.46	19	17.2	19.5	25.9	33.5	22.35
PFE-M10-06	10	3/8	7.9	20.63	19	17.2	19.5	25.9	33.5	22.40
PFE-M10-08	10	1/2	7.9	25.40	19	17.2	19.5	28.7	36.1	28.40
PFE-M12-06	12	3/8	9.5	20.63	22	22.8	22.0	25.9	36.2	22.35
PFE-M12-08	12	1/2	9.5	25.40	22	22.8	22.0	28.7	38.8	28.40


IMPERIAL

7	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PFE-02-02	1/8	1/8	2.28	1/2	7/16	12.70	15.24	18.03	24.63	19.05
PFE-02-04	1/8	1/4	2.28	11/16	7/16	12.70	15.24	20.62	27.82	22.35
PFE-03-02	3/16	1/8	3.04	1/2	1/2	13.71	16.00	18.79	25.40	19.05

PFE-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	19.55	26.92	19.05
PFE-04-04	1/4	1/4	4.82	11/16	9/16	15.24	17.78	22.35	29.71	22.35
PFE-04-06	1/4	3/8	4.82	13/16	9/16	15.24	17.78	24.38	31.75	22.35
PFE-04-08	1/4	1/2	4.82	1	9/16	15.24	17.78	27.17	34.54	28.44
PFE-05-02	5/16	1/8	6.35	9/16	5/8	16.25	18.54	21.33	28.70	19.05
PFE-05-04	5/16	1/4	6.35	11/16	5/8	16.25	18.54	23.11	30.48	22.35
PFE-06-02	3/8	1/8	7.11	5/8	11/16	16.76	19.30	23.11	30.48	19.05
PFE-06-04	3/8	1/4	7.11	11/16	11/16	16.76	19.30	23.87	31.24	22.35
PFE-06-06	3/8	3/8	7.11	13/16	11/16	16.76	19.30	25.90	33.27	22.35
PFE-06-08	3/8	1/2	7.11	1	11/16	16.76	19.30	28.70	36.06	28.44
PFE-08-04	1/2	1/4	10.41	13/16	7/8	22.86	21.84	25.90	36.06	22.35
PFE-08-06	1/2	3/8	10.41	13/16	7/8	22.86	21.84	25.90	36.08	22.35
PFE-08-08	1/2	1/2	10.41	1	7/8	22.86	21.84	28.70	38.86	28.44
PFE-10-06	5/8	3/8	12.70	15/16	1	24.38	21.84	27.94	38.10	20.35
PFE-10-08	5/8	1/2	12.70	1	1	24.38	21.84	29.71	39.87	28.44
PFE-12-08	3/4	1/2	15.74	1-1/16	1-1/8	24.38	21.84	29.71	39.87	28.44
PFE-12-12	3/4	3/4	15.74	1-1/4	1-1/8	24.38	21.84	34.54	44.70	31.75
PFE-14-12	7/8	3/4	18.28	1-1/4	1-1/4	25.90	21.84	34.54	44.70	31.75
PFE-16-12	1	3/4	22.35	1-27/64	1-1/2	31.24	26.41	36.83	49.02	31.75
PFE-16-16	1	1	22.35	1-11/16	1-1/2	31.24	26.41	38.10	50.29	38.10

S S Double Strut Fittings

PFRT FEMALE RUN TEE



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L	L ₁
PFRT-M06-02	6	1/8	4.8	12.70	14	15.3	17.7	19.6	46.0	19.0
PFRT-M06-04	6	1/4	4.8	17.46	14	15.3	17.7	22.4	52.1	22.4
PFRT-M06-08	6	1/2	4.8	25.40	14	15.3	17.7	27.2	34.5	28.4
PFRT-M08-02	8	1/8	6.4	15.87	16	16.2	18.6	22.4	48.9	19.0
PFRT-M08-04	8	1/4	6.4	17.46	16	16.2	18.6	23.1	53.0	22.4
PFRT-M08-06	8	3/8	6.4	20.63	16	16.2	18.6	25.2	32.4	22.4
PFRT-M08-08	8	1/2	6.4	25.40	16	16.2	28.6	28.0	35.2	28.4
PFRT-M12-04	12	1/4	9.5	20.63	22	22.8	22.0	25.9	58.4	22.4
PFRT-M12-06	12	3/8	9.5	20.63	22	22.8	22.0	25.9	58.4	22.4
PFRT-M12-08	12	1/2	9.5	26.98	22	22.8	22.0	29.7	40.0	28.4
PFRT-M16-08	16	1/2	12.7	25.40	25	24.4	22.0	29.7	39.9	28.4

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PFRT-02-02	1/8	1/8	2.28	1/2	7/16	12.70	15.24	18.03	24.63	19.05
PFRT-04-02	1/4	1/8	4.82	1/2	9/16	15.24	17.78	19.55	26.92	19.05
PFRT-04-04	1/4	1/4	4.82	11/16	9/16	15.24	17.78	22.86	29.71	22.35
PFRT-06-04	3/8	1/4	7.11	11/16	11/16	16.76	19.30	23.87	31.24	22.35
PFRT-08-06	1/2	3/8	10.41	13/16	7/8	22.86	21.84	25.90	36.06	22.35
PFRT-08-08	1/2	1/2	10.41	1	7/8	22.86	21.84	29.71	39.87	28.44
PFRT-12-12	3/4	3/4	15.74	1-1/4	1-1/8	24.38	21.84	34.54	44.70	31.75

S S Double Strut Fittings

PFBT FEMALE BRANCH TEE



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	P (NPT)	E mm	h mm	H mm	F	G	I	L	L ₁
PFBT-M06-02	6	1/8	4.8	12.70	14	15.3	17.7	19.6	27.0	19.0
PFBT-M06-04	6	1/4	4.8	17.46	14	15.3	17.7	22.4	29.8	22.4
PFBT-M06-06	6	3/8	4.8	20.63	14	15.3	17.7	22.4	31.7	22.4
PFBT-M06-08	6	1/2	4.8	25.40	14	15.3	17.7	27.2	34.7	28.4
PFBT-M08-02	8	1/8	6.4	15.87	16	16.2	18.6	23.1	29.9	19.0
PFBT-M08-04	8	1/4	6.4	17.46	16	16.2	18.6	23.1	30.6	22.4
PFBT-M08-06	8	3/8	6.4	20.63	16	16.2	18.6	25.2	32.4	22.4
PFBT-M08-08	8	1/2	6.4	25.40	16	16.2	18.6	28.0	35.2	28.4
PFBT-M10-04	10	1/4	7.9	20.63	19	17.2	19.5	25.9	33.5	22.4
PFBT-M10-06	10	3/8	7.9	20.63	19	17.2	19.5	25.9	33.3	22.4
PFBT-M10-08	10	1/2	9.5	25.40	19	17.2	19.5	26.2	33.6	22.4
PFBT-M12-04	12	1/4	9.5	20.63	22	22.8	22.0	25.9	36.0	22.4
PFBT-M12-06	12	3/8	9.5	20.63	22	22.8	22.0	25.9	36.0	22.4
PFBT-M12-08	12	1/2	9.5	25.40	22	22.8	22.0	29.7	40.0	28.4
PFBT-M16-08	16	1/2	12.7	25.4	25	24.4	22.0	28.7	38.8	28.7

IMPERIAL

Part No.	Tube O.D. T in	P (NPT)	E Min	h in	H in	F	G	I	L	L ₁
PFBT-02-02	1/8	1/8	2.28	1/2	7/16	12.7 0	15.2 4	18.0 3	24.3 8	19.0 5
PFBT-04-02	1/4	1/8	4.82	1/2	9/16	15.2 4	17.7 8	19.5 5	26.9 2	19.0 5
PFBT-04-04	1/4	1/4	4.82	11/16	9/16	15.2 4	17.7 8	22.3 5	29.7 1	22.3 5
PFBT-06-04	3/8	1/4	7.11	11/16	11/16	16.7 6	19.3 0	23.8 7	31.2 4	22.3 5
PFBT-08-04	1/2	1/4	10.4 1	13/16	7/8	22.8 6	21.3 4	25.9 0	26.0 6	22.3 5
PFBT-08-06	1/2	3/8	10.4 1	13/16	7/8	22.8 6	21.8 4	25.9 0	36.0 6	22.3 5
PFBT-08-08	1/2	1/2	10.4 1	1	1	22.8 6	21.8 4	28.7 0	38.8 6	28.4 4
PFBT-10-08	5/8	1/2	12.7 0	1	1-1/8	24.3 8	21.8 4	28.7 0	38.8 6	28.4 4
PFBT-12-12	3/4	3/4	15.7 4	1-1/4	1-1/8	24.3 8	21.8 4	34.5 4	44.7 0	31.7 5
PFBT-16-12	1	3/4	22.3 5	1-27/64	1-1/2	31.2 4	26.4 1	36.8 3	49.0 2	31.7 5
PFBT-16-16	1	1	22.3 5	1-11/16	1-1/2	31.2 4	26.4 1	44.2 0	53.5 9	38.1 0

S S Double Strut Fittings

PU UNION



METRIC | IMPERIAL


METRIC

Part No.	Tube O.D. T mm	E mm	h mm	H mm	F	G	I	L
PU - M 02	2	1.7	12	12	12.9	15.3	22.4	35.6
PU - M 03	3	2.4	12	12	12.9	15.3	22.1	35.3
PU - M 04	4	2.4	12	12	13.7	16.1	24.1	37.3
PU - M 06	6	4.8	14	14	15.3	17.7	26.2	41.0
PU - M 08	8	6.4	15	16	16.2	18.6	28.2	43.2
PU - M 10	10	7.9	18	19	17.2	19.5	31.0	46.2
PU - M 12	12	9.5	22	22	22.8	22.0	31.0	51.2
PU - M 15	15	11.9	24	25	24.4	22.0	31.8	52.0
PU - M 20	20	15.9	30	32	26.0	22.0	34.8	55.0
PU - M 22	22	18.3	30	32	26.0	22.0	34.8	55.0
PU - M 25	25	21.8	35	38	31.3	26.5	40.4	65.0

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	G	I	L
PU-01	1/16	1.27	5	5/16	8.63	10.91	17.50	25.15
PU-02	1/8	2.28	7/16	7/16	12.70	15.24	22.35	35.56
PU-03	3/16	3.04	7/16	1/2	13.71	16.00	24.13	37.33
PU-04	1/4	4.82	1/2	9/16	15.24	17.78	26.16	40.89
PU-05	5/16	6.35	9/16	5/8	16.25	18.54	28.19	42.92
PU-06	3/8	7.11	5/8	11/16	16.76	19.30	30.22	44.95
PU-08	1/2	10.41	13/16	7/8	22.86	21.84	30.98	51.30
PU-10	5/8	12.70	15/16	1	24.38	21.84	31.75	52.07
PU-12	3/4	15.74	1-1/16	1-1/8	24.38	21.84	33.27	53.59
PU-14	7/8	18.28	1-3/16	1-1/4	25.90	21.84	35.05	55.37
PU-16	1	22.35	1-3/8	1-1/2	31.24	26.41	40.38	64.77

S S Double Strut Fittings PBU BULKHEAD UNION



[METRIC](#) | [IMPERIAL](#)


METRIC

Part No.	Tube O.D. T mm	E mm	h mm	h1 mm	H mm	F	G	I	I ₁	L	L ₁	Panel Hole Drill Size	Max Panel Thickness
PBU - M03	3	2.4	14	12.7	12	12.9	15.3	38.1	24.6	51.3	31.2	8.3	12.7
PBU - M04	4	2.4	14	14.3	12	13.7	15.3	40.4	25.4	53.6	32.0	9.9	12.7
PBU - M06	6	4.8	16	15.9	14	15.3	16.1	42.9	26.2	57.7	33.6	11.5	10.2
PBU - M08	8	6.4	16	17.5	16	16.2	17.7	46.0	28.6	61.0	36.1	13.1	11.2
PBU - M10	10	7.9	22	22.0	19	17.2	18.6	48.5	29.4	63.7	37.0	16.2	11.2
PBU - M12	12	9.5	24	23.8	22	22.8	19.5	50.8	31.8	71.0	41.9	19.5	12.7
PBU - M15	15	11.9	27	27.0	25	24.4	22.0	52.3	32.5	72.5	42.6	22.8	12.7
PBU - M16	16	12.7	27	27.0	25	24.4	22.0	52.3	32.5	72.5	42.6	22.8	12.7
PBU - M18	18	15.1	30	30.0	30	24.4	22.0	58.7	37.7	78.9	47.4	26.0	16.8
PBU - M20	20	15.9	35	35.0	32	26.0	22.0	64.3	42.9	84.5	53.0	29.0	17.0
PBU - M22	22	18.3	35	35.0	32	26.0	22.0	64.3	42.9	84.5	53.0	29.0	19.1
PBU - M25	25	21.8	41.3	41.3	38	31.3	26.5	71.4	45.2	95.9	57.5	33.7	19.1

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	G	I	I ₁	L	L ₁	Panel Hole Drill Size	Max Panel Thickness
PBU-01	1/16	1.27	5/16	5/16	8.63	10.92	23.87	13.46	31.50	17.27	5.16	3.05
PBU-02	1/8	2.28	1/2	7/16	12.70	15.24	38.10	24.63	51.30	31.24	8.33	12.70
PBU-03	3/16	3.04	9/16	1/2	13.71	16.00	40.38	25.40	53.59	32.00	9.92	12.70
PBU-04	1/4	4.82	5/8	9/16	15.24	17.78	42.92	26.16	57.65	33.52	11.50	10.16
PBU-05	5/16	6.35	11/16	5/8	16.25	18.54	45.92	28.44	60.70	35.81	13.09	11.17
PBU-06	3/8	7.11	3/4	11/16	16.76	19.30	47.49	29.46	62.23	36.83	14.65	11.17
PBU-08	1/2	10.41	15/16	7/8	22.86	21.84	47.49	31.75	71.12	41.91	19.44	12.70
PBU-10	5/8	12.70	1-1/16	1	24.38	21.84	50.80	32.51	72.64	42.67	22.62	12.70
PBU-12	3/4	15.74	1-3/16	1-1/8	24.38	21.84	52.32	37.33	78.99	47.49	25.79	16.76
PBU-14	7/8	18.28	1-3/8	1-1/4	25.90	21.84	58.67	42.92	84.58	53.08	28.97	19.05
PBU-16	1	22.35	1-5/8	1-1/2	31.24	26.41	64.26	45.21	95.75	57.40	33.73	19.05

S S Double Strut Fittings PUT UNION TEE




METRIC

Part No.	Tube O.D. T mm	E mm	h mm	H mm	F	G	I	L
PUT-M02	2	1.7	9.5	12	12.9	15.3	15.7	22.3
PUT-M03	3	2.4	9.5	12	12.9	15.3	15.7	22.3
PUT-M04	4	2.4	12.7	12	13.7	16.1	18.8	25.4
PUT-M06	6	4.8	12.7	14	15.3	17.7	19.6	27.0
PUT-M08	8	6.4	14.3	16	16.2	18.6	21.3	28.8
PUT-M10	10	7.9	17.5	19	17.2	19.5	23.9	31.5
PUT-M12	12	9.5	20.6	22	22.8	22.0	25.9	36.0
PUT-M15	15	11.9	25.4	25	24.4	22.0	28.7	38.8
PUT-M16	16	12.7	25.4	25	24.4	22.0	28.7	38.8
PUT-M18	18	15.1	27.0	30	24.4	22.0	29.7	39.8
PUT-M20	20	15.9	31.8	32	26.0	22.0	32.5	42.6
PUT-M22	22	18.3	31.8	32	26.0	22.0	32.5	42.6
PUT-M25	25	21.8	36.0	38	31.3	26.5	36.8	49.1

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	G	I	L
PUT-01	1/16	1.27	3/8	5/16	8.63	10.92	14.00	17.88
PUT-02	1/8	2.28	3/8	7/16	12.70	15.24	15.74	22.35
PUT-03	3/16	3.04	1/2	1/2	13.71	16.00	17.78	24.38
PUT-04	1/4	4.82	1/2	9/16	15.24	17.78	19.55	26.92
PUT-05	5/16	6.35	9/16	5/8	16.25	18.54	21.33	28.70
PUT-06	3/8	7.11	5/8	11/16	16.76	19.30	23.11	30.48
PUT-08	1/2	10.41	13/16	7/8	22.86	21.84	25.90	36.06
PUT-10	5/8	12.70	15/16	1	24.38	21.84	28.70	38.80
PUT-12	3/4	15.74	1-1/6	1-1/8	24.38	21.84	29.71	39.87
PUT-14	7/8	18.28	1-1/4	1-1/4	25.90	21.84	34.54	44.70
PUT-16	1	22.35	1-27/64	1-1/2	31.24	26.41	36.83	49.02

S S Double Strut Fittings PUC UNION CROSS



[METRIC](#) | [IMPERIAL](#)


METRIC

Part No.	Tube O.D. T mm	E mm	h mm	H mm	F	G	I	L
PUC-M03	3	2.4	9.5	12	12.9	15.3	15.7	22.3
PUC-M06	6	4.8	12.7	14	15.3	17.7	19.6	27.0
PUC-M08	8	6.4	14.3	16	16.2	18.6	21.3	28.8
PUC-M10	10	7.9	17.5	19	17.2	19.5	23.9	31.5
PUC-M12	12	9.5	20.6	22	22.8	22.0	25.9	36.0
PUC-M16	16	12.7	25.4	25	24.4	22.0	28.7	38.8
PUC-M18	18	15.1	27.0	30	24.4	22.0	29.7	39.8
PUC-M20	20	15.9	31.8	32	26.0	22.0	32.5	42.6
PUC-M25	25	21.8	36.0	38	31.3	22.0	36.8	49.1

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	G	I	L
PUC-01	1/16	1.27	3/8	5/16	8.63	10.91	14.00	25.15
PUC-02	1/8	2.28	3/8	7/16	12.70	15.24	15.74	35.56
PUC-03	3/16	3.04	1/2	1/2	13.71	16.00	17.78	37.33
PUC-04	1/4	4.82	1/2	9/16	15.24	17.78	19.55	40.89
PUC-05	5/16	6.35	1/2	5/8	16.25	18.54	21.33	42.92
PUC-06	3/8	7.11	11/16	11/16	16.76	19.30	23.11	44.95
PUC-08	1/2	10.41	13/16	7/8	22.86	21.84	25.90	51.30
PUC-10	5/8	12.70	13/16	1	24.38	21.84	28.70	52.07
PUC-12	3/4	15.74	1	1-1/8	24.38	21.84	29.71	53.59
PUC-14	7/8	18.28	1-1/4	1-1/4	25.90	21.84	34.54	55.37
PUC-16	1	22.35	1-27/64	1-1/2	31.24	26.41	36.83	64.77

S S Double Strut Fittings PRU REDUCING UNION



METRIC | IMPERIAL

METRIC


Part No.	Tube O.D.		E mm	h mm	H mm	H ₁ mm	F	F ₁	G	G ₁	I	L
	T mm	T ₁ mm										
PRU-M06-03	6	3	2.4	14	14	12	15.3	12.9	17.7	15.3	24.6	38.6
PRU-M06-04	6	4	2.4	14	14	12	15.3	13.7	17.7	16.1	25.4	39.4
PRU-M08-06	8	6	4.8	15	16	14	16.2	15.3	18.6	17.7	27.4	42.3
PRU-M10-06	10	6	4.8	18	19	14	17.2	15.3	19.5	17.7	29.5	44.5
PRU-M10-08	10	8	6.4	18	19	16	17.2	16.2	19.5	18.6	30.0	45.1
PRU-M12-06	12	6	4.8	22	22	14	22.8	15.3	22.0	17.7	29.5	47.0
PRU-M12-08	12	8	6.4	22	22	16	22.8	16.2	22.0	18.6	30.2	47.8
PRU-M12-10	12	10	7.9	22	22	19	22.8	17.2	22.0	19.5	31.0	48.7
PRU-M16-12	16	12	9.5	24	25	22	24.4	22.8	22.0	22.0	31.8	52.0
PRU-M25-18	25	18	15.1	35	38	30	31.3	24.4	26.5	22.0	38.6	61.0
PRU-M25-20	25	20	15.9	35	38	32	31.3	26.0	26.5	22.0	39.9	62.3

IMPERIAL

Part No.	Tube O.D.		E Min	h in	H in	H ₁ in	F	F ₁	G	G ₁	I	L
	T in	T ₁ in										
PRU-02-01	1/8	1/6	1.27	7/16	7/16	5/16	12.7	8.63	15.24	10.92	20.60	30.91
PRU-03-02	3/16	1/8	2.28	7/16	1/2	7/16	13.71	12.70	16.00	15.24	23.36	36.57
PRU-04-02	1/4	1/8	2.28	1/2	9/16	7/16	15.24	12.70	17.78	15.24	24.63	38.60
PRU-04-03	1/4	3/16	3.04	1/2	9/16	1/2	15.24	13.71	17.78	16.00	25.40	39.37

PRU-05-02	5/16	1/8	2.28	9/16	5/8	7/16	16.25	12.70	18.54	15.24	25.90	39.87
PRU-05-04	5/16	1/4	4.82	9/16	11/16	9/16	16.25	15.24	18.54	17.78	27.43	42.16
PRU-06-02	3/8	1/8	2.28	5/8	11/16	7/16	16.76	12.70	19.30	15.24	26.92	40.89
PRU-06-04	3/8	1/4	4.82	5/8	11/16	9/16	16.76	15.24	19.30	17.78	28.44	43.18
PRU-06-05	3/8	5/16	6.35	5/8	7/8	5/8	16.76	16.25	19.30	18.54	29.46	44.19
PRU-08-02	1/2	1/8	2.28	13/16	7/8	7/16	22.86	12.70	21.84	15.24	28.44	45.21
PRU-08-04	1/2	1/4	4.82	13/16	7/8	9/16	22.86	15.24	21.84	17.78	29.46	46.99
PRU-08-06	1/2	3/8	7.11	13/16	1	11/16	22.86	16.76	17.78	19.30	30.98	48.51
PRU-10-06	5/8	3/8	7.11	15/16	1	11/16	24.38	16.76	21.84	19.30	31.75	49.27
PRU-10-08	5/8	1/2	10.41	15/16	1-1/8	7/8	24.38	22.86	21.84	21.84	31.75	52.07
PRU-12-04	3/4	1/4	12.70	1-1/16	1-1/8	9/16	24.38	15.24	21.84	17.78	31.75	49.27
PRU-12-06	3/4	3/8	7.11	1-1/16	1-1/8	11/16	24.38	16.76	21.84	19.30	33.27	50.80
PRU-12-08	3/4	1/2	10.41	1-1/16	1-1/8	7/8	24.38	22.86	21.84	21.84	33.27	53.59
PRU-12-10	3/4	5/8	12.70	1-1/16	1-1/8	1	24.38	24.38	21.84	21.84	33.27	53.59
PRU-16-08	1	1/2	10.41	1-3/8	1-1/2	7/8	31.24	22.86	26.41	21.84	40.89	63.24
PRU-16-12	1	3/4	19.05	1-3/8	1-1/2	1-1/8	31.24	24.38	26.41	21.84	40.38	62.73

S S Double Strut Fittings PEU ELBOW UNION




METRIC

Part No.	Tube O.D. T mm	E mm	h mm	H mm	F	G	I	L
PEU - M 02	2	1.7	9.5	12	12.9	15.3	15.7	22.3
PEU - M 03	3	2.4	9.5	12	12.9	15.3	15.7	22.3
PEU - M 04	4	2.4	12.7	12	13.7	16.4	18.8	25.4
PEU - M 06	6	4.8	12.7	14	15.3	17.7	19.6	27.0
PEU - M 08	8	6.4	14.3	16	16.2	18.6	21.3	28.8
PEU - M 10	10	7.9	17.5	19	17.2	19.5	23.9	31.5
PEU - M 12	12	9.5	20.6	22	22.8	22.0	25.9	36.0
PEU - M 15	15	11.9	25.4	25	24.4	22.0	28.7	38.8
PEU - M 16	16	12.7	25.4	25	24.4	22.0	28.7	38.8
PEU - M 18	18	15.1	27.0	30	24.4	22.0	29.7	39.8
PEU - M 20	20	15.9	31.8	32	26.0	22.0	32.5	42.6
PEU - M 22	22	18.3	31.8	32	26.0	22.0	32.5	42.6
PEU - M 25	25	21.8	36.0	38	31.3	26.5	36.8	49.1

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	G	I	L
PEU-01	1/16	1.27	3/8	5/16	8.63	10.92	14.00	17.88
PEU-02	1/8	2.28	3/8	7/16	12.70	15.24	15.74	22.35
PEU-03	3/16	3.04	1/2	1/2	13.71	16.00	17.78	24.38
PEU-04	1/4	4.82	1/2	9/16	15.24	17.78	19.55	26.92
PEU-05	5/16	6.35	9/16	5/8	16.25	18.54	21.33	28.70
PEU-06	3/8	7.11	5/8	11/16	16.76	19.30	23.11	30.48
PEU-08	1/2	10.41	13/16	7/8	22.86	21.84	25.90	36.06
PEU-10	5/8	12.70	15/16	1	24.38	21.84	28.70	38.80
PEU-12	3/4	15.74	1-1/16	1-1/8	24.38	21.84	29.71	39.87
PEU-14	7/8	18.28	1-1/4	1-1/4	25.90	21.84	34.54	44.70
PEU-16	1	22.35	1-27/64	1-1/2	31.24	26.41	36.83	49.02

S S Double Strut Fittings PR REDUCER



METRIC | IMPERIAL


METRIC

Part No.	Tube O.D.		E mm	h mm	H mm	F	G	I	L
	T mm	T ₁ mm							
PR-M03-M04	3	4	2.4	12	12	12.9	15.3	28.4	35.0
PR-M03-M06	3	6	2.4	12	12	12.9	15.3	29.5	36.1
PR-M03-M10	3	10	2.4	12	12	12.9	15.3	31.8	38.4
PR-M04-M06	4	6	2.4	12	12	13.7	16.1	30.5	37.1
PR-M06-M03	6	3	1.8	14	14	15.3	17.7	29.5	36.9
PR-M06-M08	6	8	4.8	14	14	15.3	17.7	32.5	39.9
PR-M06-M10	6	10	4.8	14	14	15.3	17.7	33.3	40.7
PR-M06-M12	6	12	4.8	14	14	15.3	17.7	28.9	46.3
PR-M08-M06	8	6	4.6	15	16	16.2	18.6	32.8	40.3
PR-M08-M10	8	10	6.4	15	16	16.2	18.6	34.5	42.0
PR-M08-M12	8	12	6.4	15	16	16.2	18.6	40.1	47.6
PR-M10-M06	10	6	4.6	18	19	17.2	19.5	34.8	42.4
PR-M10-M12	10	12	7.9	18	19	17.2	19.5	42.2	49.8
PR-M10-M15	10	15	7.9	18	19	17.2	19.5	43.7	51.3
PR-M10-M18	10	18	7.9	19	19	17.2	19.5	43.7	51.3
PR-M12-M06	12	6	4.6	22	22	22.8	22.0	34.8	44.9
PR-M12-M10	12	10	7.7	22	22	22.8	22.0	36.6	46.7
PR-M12-M16	12	16	9.5	22	22	22.8	22.0	43.7	53.8
PR-M12-M18	12	18	9.5	22	22	22.8	22.0	43.7	53.8
PR-M12-M20	12	20	9.5	22	22	22.8	22.0	46.0	56.1
PR-M12-M22	12	22	9.5	24	22	22.8	22.0	46.0	56.1
PR-M12-M25	12	25	9.5	27	22	22.8	22.0	52.3	62.4
PR-M16-M12	16	12	9.1	24	25	24.4	22.0	42.9	53.0
PR-M18-M12	18	12	9.1	27	30	24.4	22.0	44.5	54.6
PR-M18-M16	18	16	12.7	27	30	24.4	22.0	46.0	56.1

PR-M18-M20	18	20	15.1	27	30	24.4	22.0	47.5	57.6
PR-M18-M22	18	22	15.1	27	30	24.4	22.0	47.5	57.6
PR-M18-M25	18	25	15.1	27	30	24.4	22.0	52.3	62.4
PR-M20-M16	20	16	12.7	30	32	24.4	22.0	47.8	57.9
PR-M20-M18	20	18	13.9	30	32	26.0	22.0	47.8	57.9
PR-M20-M22	20	22	15.8	30	32	26.0	22.0	49.3	59.4
PR-M20-M25	20	25	15.8	30	32	26.0	22.0	54.1	64.2
PR-M22-M18	22	18	13.9	30	32	26.0	22.0	47.8	57.9
PR-M22-M20	22	20	15.1	30	32	26.0	22.0	49.3	59.4
PR-M22-M25	22	25	18.3	30	32	26.0	22.0	54.1	64.2
PR-M25-M18	25	18	13.9	35	38	31.3	26.5	50.8	63.1
PR-M25-M20	25	20	15.1	35	38	31.3	26.5	52.3	64.6

S S Double Strut Fittings

PBR BULKHEAD REDUCER



[METRIC](#) | [IMPERIAL](#)


METRIC

Part No.	Tube O.D. T in	E Min	h in	H in	F	I	I ₁	I ₂	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBR-02-02	1/8	2.03	1/2	7/16	12.70	42.92	24.63	13.46	49.53	31.24	8.33	12.70
PBR-04-04	1/4	4.82	5/8	9/16	15.24	48.51	26.16	15.74	55.88	33.52	11.50	10.16
PBR-06-06	3/8	7.11	3/4	11/16	16.76	53.84	29.46	17.52	61.21	36.83	14.68	11.17
PBR-08-08	1/2	10.41	15/16	7/8	22.86	62.73	31.75	23.11	72.89	41.91	19.44	12.70

IMPERIAL

Part No.	Tube O.D. T in	E Min	h in	H in	F	I	I ₁	I ₂	L	L ₁	Panel Hole DrillSize	Max Panel Thickness
PBR-02-02	1/8	2.03	1/2	7/16	12.70	42.92	24.63	13.46	49.53	31.24	8.33	12.70
PBR-04-04	1/4	4.82	5/8	9/16	15.24	48.51	26.16	15.74	55.88	33.52	11.50	10.16
PBR-06-06	3/8	7.11	3/4	11/16	16.76	53.84	29.46	17.52	61.21	36.83	14.68	11.17
PBR-08-08	1/2	10.41	15/16	7/8	22.86	62.73	31.75	23.11	72.89	41.91	19.44	12.70

S S Double Strut Fittings PTC TUBE CAP



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm	h mm	H mm	F	G	I	L
PTC-M02	2	12	12	12.9	15.3	13.5	20.1
PTC-M03	3	12	12	12.9	15.3	13.5	20.1
PTC-M04	4	12	12	13.7	16.1	14.7	21.3
PTC-M06	6	14	14	15.3	17.7	15.7	23.1
PTC-M08	8	15	16	16.2	18.6	17.0	24.5
PTC-M10	10	18	19	17.2	19.5	19.0	26.6
PTC-M12	12	22	22	22.8	22.0	19.0	29.1
PTC-M15	15	24	25	24.4	22.0	19.8	29.9
PTC-M16	16	24	25	24.4	22.0	19.8	29.9
PTC-M18	18	27	30	24.4	22.0	21.3	31.4
PTC-M20	20	30	32	26.0	22.0	23.9	34.0
PTC-M22	22	30	32	26.0	22.0	23.9	34.0
PTC-M25	25	35	38	31.3	26.5	26.2	38.5

IMPERIAL

Part No.	Tube O.D. T in	h in	H in	F	G	I	L
PTC-02	1/16	5/16	5/16	8.63	10.92	11.20	14.18
PTC-03	1/8	7/16	7/16	15.24	15.24	13.46	20.06
PTC-03	3/16	7/16	1/2	13.71	16.00	14.73	21.33
PTC-04	1/4	1/2	9/16	15.24	17.78	16.00	23.36
PTC-05	5/16	9/16	5/8	16.25	18.54	17.01	24.38
PTC-06	3/8	5/8	11/16	16.76	19.30	18.28	25.65
PTC-08	1/2	13/16	7/8	22.86	21.84	19.05	29.21
PTC-10	5/8	15/16	1	24.38	21.84	19.81	29.97
PTC-12	3/4	1-1/16	1-1/8	24.38	21.84	21.33	31.49
PTC-14	7/8	1-3/16	1-1/4	25.90	21.84	23.87	34.03
PTC-16	1	1-3/8	1-1/2	31.24	26.41	26.16	38.35

S S Double Strut Fittings

PP TUBE PLUG



[METRIC](#) | [IMPERIAL](#)

IMPERIAL


METRIC

Part No.	Tube O.D.T mm	H mm
PTP-M02	2	12
PTP-M03	3	12
PTP-M04	4	12
PTP-M06	6	14
PTP-M08	8	16
PTP-M10	10	19
PTP-M12	12	22
PTP-M15	15	25
PTP-M16	16	25
PTP-M18	18	30
PTP-M20	20	32
PTP-M22	22	32
PTP-M25	25	38

Part No.	Tube O.D. T in	H in
PTP-02	1/8	7/16
PTP-03	3/16	1/2
PTP-04	1/4	9/16
PTP-05	5/16	5/8
PTP-06	3/8	11/16
PTP-08	1/2	7/8
PTP-10	5/8	1
PTP-12	3/4	1-1/8
PTP-14	7/8	1-1/4
PTP-16	1	1-1/2

S S Double Strut Fittings

PN NUT



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm	H mm	L
PN-M03	3	12	11.9
PN-M04	4	12	11.9
PN-M06	6	14	12.7
PN-M08	8	16	13.5
PN-M10	10	19	15.1
PN-M12	12	22	17.4
PN-M15	15	25	17.4
PN-M16	16	25	17.4
PN-M18	18	30	17.4
PN-M20	20	32	17.4
PN-M22	22	32	17.4
PN-M25	25	38	20.6

IMPERIAL

Part No.	Tube O.D. T in	H in	L
PN-01	1/16	5/16	7.93
PN-02	1/8	7/16	11.93
PN-03	3/16	1/2	11.93
PN-04	1/4	9/16	12.70
PN-05	5/16	5/8	13.46
PN-06	3/8	11/16	14.22
PN-08	1/2	7/8	17.52
PN-10	5/8	1	17.52
PN-12	3/4	1-1/8	17.52
PN-14	7/8	1-1/4	17.52
PN-16	1	1-1/2	20.57

S S Double Strut Fittings

PBF BACK FERRULE



[METRIC](#) | [IMPERIAL](#)

METRIC


Part No.	Tube O.D. T mm
PBF-M02	2
PBF-M03	3
PBF-M04	4
PBF-M06	6
PBF-M08	8
PBF-M10	10
PBF-M12	12
PBF-M15	15
PBF-M16	16
PBF-M18	18
PBF-M20	20
PBF-M22	22
PBF-M25	25

IMPERIAL

Part No.	Tube O.D. T in
PBF-01	1/16
PBF-02	1/8
PBF-03	3/16
PBF-04	1/4
PBF-05	5/16
PBF-06	3/8
PBF-08	1/2
PBF-10	5/8
PBF-12	3/4
PBF-14	7/8
PBF-16	1

S S Double Strut Fittings

PFF FRONT FERRULE



[METRIC](#) | [IMPERIAL](#)

METRIC

Part No.	Tube O.D. T mm
PFF-M02	2
PFF-M03	3
PFF-M04	4
PFF-M06	6
PFF-M08	8
PFF-M10	10
PFF-M12	12
PFF-M15	15
PFF-M16	16
PFF-M18	18
PFF-M20	20
PFF-M22	22
PFF-M25	25

IMPERIAL

Part No.	Tube O.D. T in
PFF-01	1/16
PFF-02	1/8
PFF-03	3/16
PFF-04	1/4
PFF-05	5/16
PFF-06	3/8
PFF-08	1/2
PFF-10	5/8
PFF-12	3/4
PFF-14	7/8
PFF-16	1